



**CESA: 01**                      *Number of schools reported for CESA 01: 389*

*Which best describes the location of your school building?*

159	<b>40.87%</b>	<i>Large Central City (Population greater than 400,000 and density greater than 6,000.)</i>
77	<b>19.79%</b>	<i>Mid-Size Central City (Population less than 400,000 and density less than 6,000.)</i>
145	<b>37.28%</b>	<i>Urban Fringe of Large City (Defined as urban by the Census Bureau.)</i>
0	<b>0.00%</b>	<i>Urban Fringe of Mid-Size City (Defined as urban by the Census Bureau.)</i>
0	<b>0.00%</b>	<i>Large Town (Population greater than or equal to 25,000.)</i>
0	<b>0.00%</b>	<i>Small Town (Population less than 25,000 and greater than or equal to 2,500.)</i>
8	<b>2.06%</b>	<i>Rural (Population less than 2,500 and coded rural by the Census Bureau.)</i>

**A. PHYSICAL STRUCTURE AND MECHANICAL FEATURES**

4. *When was the school originally constructed?*

<i>Pre-1900</i>	23	<b>5.91%</b>	<i>1930-1939</i>	24	<b>6.17%</b>	<i>1970-1979</i>	29	<b>7.46%</b>
<i>1900-1909</i>	15	<b>3.86%</b>	<i>1940-1949</i>	7	<b>1.80%</b>	<i>1980-1989</i>	2	<b>0.51%</b>
<i>1910-1919</i>	28	<b>7.20%</b>	<i>1950-1959</i>	102	<b>26.22%</b>	<i>1990-1999</i>	20	<b>5.14%</b>
<i>1920-1929</i>	44	<b>11.31%</b>	<i>1960-1969</i>	95	<b>24.42%</b>			

5. *In your opinion, is this school building overcrowded?*

Yes	128	<b>32.90%</b>	No	261	<b>67.10%</b>
-----	-----	---------------	----	-----	---------------

6. *If the original building has been renovated or had additions, when was the most recent, MAJOR renovation or addition?*

<i>No Renovation</i>	125	<b>32.13%</b>	<i>1940-1949</i>	3	<b>0.77%</b>	<i>1970-1979</i>	21	<b>5.40%</b>
<i>Before 1930</i>	17	<b>4.37%</b>	<i>1950-1959</i>	34	<b>8.74%</b>	<i>1980-1989</i>	40	<b>10.28%</b>
<i>1930-1939</i>	0	<b>0.00%</b>	<i>1960-1969</i>	55	<b>14.14%</b>	<i>1990-1999</i>	94	<b>24.16%</b>

7. *How many total square feet does the original building have?*

<i>Minimum:</i>	5,000	<i>Maximum:</i>	447,130	<i>Median:</i>	49,651	<i>Average:</i>	77,908
-----------------	-------	-----------------	---------	----------------	--------	-----------------	--------

8. *If the building has been renovated or added on to, how many total square feet exist now?*

<i>Minimum:</i>	11,979	<i>Maximum:</i>	870,003	<i>Median:</i>	67,236	<i>Average:</i>	103,948
-----------------	--------	-----------------	---------	----------------	--------	-----------------	---------

9. *How many portable classrooms were in use during the 1998-99 school year?*

*Number of schools reporting the use of portable classrooms: 19*

<i>Minimum:</i>	1	<i>Maximum:</i>	20	<i>Median:</i>	2	<i>Average:</i>	4
-----------------	---	-----------------	----	----------------	---	-----------------	---

10. *Does the school accommodate any of its students in instructional facilities located OFF-SITE?*

Yes	28	<b>7.20%</b>	No	361	<b>92.80%</b>
-----	----	--------------	----	-----	---------------

11. *How many of this school's FTE students are located in OFF-SITE facilities?*

*Number of schools reporting OFF-SITE facilities: 28*

<i>Minimum:</i>	1	<i>Maximum:</i>	200	<i>Median:</i>	23	<i>Average:</i>	48
-----------------	---	-----------------	-----	----------------	----	-----------------	----

**CESA: 01**                      *Number of schools reported for CESA 01: 389*

**Definitions for questions #12 and #15:**

- Excellent:** New or easily restorable to "like new" only minimal routine maintenance.
- Good:** Only routine maintenance or minor repair required.
- Adequate:** Some preventive maintenance and/or corrective repair required.
- Fair:** Fails to meet code and functional requirement in some cases; extensive repair.
- Poor:** Consistent substandard performance; major corrective repair or overhaul.
- Replace:** Non-operational or significantly substandard performance. Replacement
- NA:** Not Applicable

12. *What is the overall condition of the original buildings and the permanent additions?*

	Excellent	Good	Adequate	Fair	Poor	Replace	NA
Original Buildings:	28 7.20%	85 21.85%	185 47.56%	73 18.77%	9 2.31%	6 1.54%	3 0.77%
Permanent Additions:	45 11.57%	68 17.48%	108 27.76%	49 12.60%	6 1.54%	1 0.26%	112 28.79%

13. *What would be the total cost of all repairs/renovations/modernizations required to put this school's ON-SITE buildings in good overall condition?*                      *Number of schools reporting cost for repairs/renovations/modernizations: 288*

**CESA Total Costs = \$663,537,720**

*Minimum:* \$15,000                      *Maximum:* \$15,000,000                      *Median:* \$1,786,450                      *Average:* \$2,303,950

14. *On which of the sources listed below is this estimate based? Choose all that apply.*

- 105    **12.06%**    *Does not apply--already in good (or better) overall condition.*
- 221    **25.37%**    *Facilities inspection/assessment performed within the last three years by licensed professionals.*
- 175    **20.09%**    *Repair/renovation/modernization work already being performed/contracted for.*
- 239    **27.44%**    *Capital improvement/facilities master plan or schedule.*
- 104    **11.94%**    *My best professional judgement.*
- 27     **3.10%**     *Opinions of others.*

15. *Overall, what is the physical condition of each of the building features listed below for this school's ON-SITE buildings?*

	Excellent	Good	Adequate	Fair	Poor	Replace
Roofs:	37 9.51%	148 38.05%	93 23.91%	66 16.97%	38 9.77%	7 1.80%
Framing, floors, foundations:	37 9.51%	198 50.90%	111 28.53%	33 8.48%	10 2.57%	0 0.00%
Exterior walls, finishes, windows, doors:	38 9.77%	112 28.79%	87 22.37%	113 29.05%	32 8.23%	7 1.80%
Interior finishes, trims:	35 9.00%	214 55.01%	98 25.19%	35 9.00%	4 1.03%	3 0.77%
Plumbing:	28 7.20%	121 31.11%	193 49.61%	31 7.97%	13 3.34%	3 0.77%
Heating ventilation, air conditioning:	24 6.17%	114 29.31%	132 33.93%	91 23.39%	23 5.91%	5 1.29%
Electrical power:	34 8.74%	108 27.76%	90 23.14%	88 22.62%	66 16.97%	3 0.77%
Electrical lighting:	39 10.03%	227 58.35%	68 17.48%	48 12.34%	6 1.54%	1 0.26%
Life safety requirements (e.g., emergency lighting and warning systems, exit signs):	53 13.62%	238 61.18%	76 19.54%	21 5.40%	1 0.26%	0 0.00%

**CESA: 01**      *Number of schools reported for CESA 01: 389*

16. *How adequate is your current maintenance budget for keeping your buildings in good overall condition?*

Very Adequate:	13	<b>3.34%</b>	Somewhat Adequate:	252	<b>64.78%</b>
Adequate:	84	<b>21.59%</b>	Not adequate at all:	40	<b>10.28%</b>

17. *How satisfactory or unsatisfactory is each of the following environmental factors in this school's ON-SITE buildings?*

	Very Satisfactory	Satisfactory	Unsatisfactory	Very Unsatisfactory
Lighting:	43 <b>11.05%</b>	307 <b>78.92%</b>	37 <b>9.51%</b>	2 <b>0.51%</b>
Heating:	38 <b>9.77%</b>	304 <b>78.15%</b>	44 <b>11.31%</b>	2 <b>0.77%</b>
Ventilation:	32 <b>8.23%</b>	274 <b>70.44%</b>	80 <b>20.57%</b>	3 <b>0.77%</b>
Indoor air quality:	36 <b>9.25%</b>	277 <b>71.21%</b>	73 <b>18.77%</b>	3 <b>0.77%</b>
Acoustics for noise control:	34 <b>8.74%</b>	313 <b>80.46%</b>	42 <b>10.80%</b>	0 <b>0.00%</b>
Flexibility of instructional space:	29 <b>7.46%</b>	172 <b>44.22%</b>	181 <b>46.53%</b>	7 <b>1.80%</b>
Energy efficiency/conservation:	30 <b>7.71%</b>	205 <b>52.70%</b>	154 <b>39.59%</b>	0 <b>0.00%</b>
Physical security of buildings:	31 <b>7.97%</b>	314 <b>80.72%</b>	41 <b>10.54%</b>	3 <b>0.77%</b>
Exterior noise:	47 <b>12.08%</b>	315 <b>80.98%</b>	25 <b>6.43%</b>	2 <b>0.51%</b>

18. *How many instructional classrooms were in use as of the third Friday in September, 1998?*

Total number of instructional classrooms reported in use as of the third Friday in September, 1998: **12,737**

Minimum:	10	Maximum:	130	Median:	25	Average:	33
----------	----	----------	-----	---------	----	----------	----

19. *Does the school building have CENTRAL air conditioning (cools all interior space)?*

Yes	88	<b>22.62%</b>	No	301	<b>77.38%</b>
-----	----	---------------	----	-----	---------------

20. *Does this school have air conditioning in instructional classrooms, computer labs, and/or the library?*

61	<b>29.47%</b>	Yes, in instructional classrooms.
81	<b>39.13%</b>	Yes, in computer labs.
65	<b>31.40%</b>	Yes, in the library.

21. *How many instructional classrooms have air conditioning?*

Minimum:	1	Maximum:	65	Median:	9	Average:	13
----------	---	----------	----	---------	---	----------	----

22. *Does this school have a separate room for a library/resource/media center?*

Yes	382	<b>98.20%</b>	No	7	<b>1.80%</b>
-----	-----	---------------	----	---	--------------

23. *How does the size of your school's library/resource/media center compare with the size of a typical classroom in your building?*

Smaller:	3	<b>0.78%</b>	About the same size:	59	<b>15.36%</b>	Larger:	322	<b>83.85%</b>
----------	---	--------------	----------------------	----	---------------	---------	-----	---------------

24. *How many classrooms would fit in the space used for your library/resource/media center?*

Minimum:	1	Maximum:	3	Median:	2	Average:	3
----------	---	----------	---	---------	---	----------	---

25. *If you have a library/resource/media center, is it staffed by a licensed, professional librarian?*

Yes	269	<b>70.05%</b>	No	115	<b>29.95%</b>
-----	-----	---------------	----	-----	---------------

26. *What percent time is your library/resource/media center staffed by a licensed, professional librarian?*

Number of schools reporting library/resource/media center staffed by licensed, professional librarian: **269**

Minimum:	20%	Maximum:	100%	Median:	100%	Average:	88.71%
----------	-----	----------	------	---------	------	----------	--------

**CESA: 01**                      *Number of schools reported for CESA 01: 389*

27. *Does this school have a separate room for a parent/family center?*

Yes 105 **26.99%**                                      No 284 **73.01%**

28. *How does the size of your school's parent/family center compare with the size of a typical classroom in your building?*

Smaller: 33 **31.43%**                      About the same size: 59 **56.19%**                      Larger: 13 **12.38%**

29. *How many classrooms would fit in the space used for the parent/family center?*

Minimum: .33                      Maximum: 9                      Median: 1                      Average: 1

**B. SCHOOL SAFETY**

30. *Does your school have a "Locked Door" policy (doors can only be opened from the inside)?*

Yes 304 **78.15%**                                      No 85 **21.85%**

31. *Does your school have a "Check-In" policy for school visitors?*

Yes 386 **99.23%**                                      No 3 **0.77%**

32. *Does your school have an established emergency response plan for dealing with school safety issues?*

Yes 384 **98.71%**                                      No 5 **1.29%**

33. *Does your school have on-site security provided by police officers or private security guards?*

Yes 68 **17.48%**                                      No 321 **82.52%**

34. *Does your school have parent or other community volunteers to assist in monitoring the school?*

Yes 73 **18.77%**                                      No 316 **81.23%**

35. *Does your school have metal detectors?*

Yes 23 **5.91%**                                      No 366 **94.09%**

36. *Does your school have surveillance cameras located within the school building or on school grounds?*

Yes 54 **13.88%**                                      No 335 **86.12%**

**C. EDUCATIONAL APPROPRIATENESS AND SUITABILITY**

**ELEMENTARY SCHOOLS ONLY**

**Number of Elementary Schools Reported: 271**

**Educational Appropriateness:**

38. *Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.*

Strongly agree with statement: 37 **12.71%**                                      Disagree with statement: 46 **15.81%**  
 Agree with statement: 203 **69.76%**                                      Strongly disagree with statement: 5 **1.72%**

39. *Pre-kindergarten and Kindergarten space accommodates developmental range and needs of young children by providing a minimum of 35 square feet per occupant.*

Strongly agree with statement: 49 **16.96%**                                      Disagree with statement: 36 **12.46%**  
 Agree with statement: 198 **68.51%**                                      Strongly disagree with statement: 6 **2.08%**

**CESA: 01**

Number of schools reported for CESA 01: 389

Number of Elementary Schools reported for CESA 01: 271

40. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	33	<b>11.42%</b>	Disagree with statement:	150	<b>51.90%</b>
Agree with statement:	94	<b>32.53%</b>	Strongly disagree with statement:	12	<b>4.15%</b>

41. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	53	<b>18.34%</b>	Disagree with statement:	126	<b>43.60%</b>
Agree with statement:	103	<b>35.64%</b>	Strongly disagree with statement:	7	<b>2.42%</b>

42. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	25	<b>8.65%</b>	Disagree with statement:	185	<b>64.01%</b>
Agree with statement:	56	<b>19.38%</b>	Strongly disagree with statement:	23	<b>7.96%</b>

43. Equipment and furniture (such as shelving units, tables, and chairs) are the appropriate size for the building's student population.

Strongly agree with statement:	49	<b>16.96%</b>	Disagree with statement:	9	<b>3.11%</b>
Agree with statement:	231	<b>79.93%</b>	Strongly disagree with statement:	0	<b>0.00%</b>

**Building Suitability for Education:**

44. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	38	<b>13.15%</b>	Disagree with statement:	104	<b>35.99%</b>
Agree with statement:	142	<b>49.13%</b>	Strongly disagree with statement:	5	<b>1.73%</b>

45. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	52	<b>17.99%</b>	Disagree with statement:	61	<b>21.11%</b>
Agree with statement:	172	<b>59.52%</b>	Strongly disagree with statement:	4	<b>1.38%</b>

46. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	32	<b>11.07%</b>	Disagree with statement:	140	<b>48.44%</b>
Agree with statement:	98	<b>33.91%</b>	Strongly disagree with statement:	19	<b>6.57%</b>

47. Building is accessible to students with disabilities.

Strongly agree with statement:	66	<b>22.84%</b>	Disagree with statement:	75	<b>25.95%</b>
Agree with statement:	118	<b>40.83%</b>	Strongly disagree with statement:	30	<b>10.38%</b>

48. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	33	<b>11.50%</b>	Disagree with statement:	67	<b>23.34%</b>
Agree with statement:	182	<b>63.41%</b>	Strongly disagree with statement:	5	<b>1.74%</b>

**School Site Suitability:**

49. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	47	<b>16.26%</b>	Disagree with statement:	47	<b>16.26%</b>
Agree with statement:	192	<b>66.44%</b>	Strongly disagree with statement:	3	<b>1.04%</b>

**CESA: 01**

Number of schools reported for CESA 01: 389

Number of Elementary Schools reported for CESA 01: 271

50. Site has a safe outdoor space where children can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	72	<b>24.91%</b>	Disagree with statement:	10	<b>3.46%</b>
Agree with statement:	196	<b>67.82%</b>	Strongly disagree with statement:	11	<b>3.81%</b>

51. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	15	<b>5.19%</b>	Disagree with statement:	132	<b>45.67%</b>
Agree with statement:	112	<b>38.75%</b>	Strongly disagree with statement:	30	<b>10.38%</b>

**Playground Site and Equipment Suitability:**

52. Playground size is appropriate for number of students.

Strongly agree with statement:	63	<b>21.80%</b>	Disagree with statement:	36	<b>12.46%</b>
Agree with statement:	172	<b>59.52%</b>	Strongly disagree with statement:	18	<b>6.23%</b>

53. Playgrounds are separated from streets and parking areas with fencing or other permanent material.

Strongly agree with statement:	58	<b>20.07%</b>	Disagree with statement:	54	<b>18.69%</b>
Agree with statement:	161	<b>55.71%</b>	Strongly disagree with statement:	16	<b>5.54%</b>

54. Playgrounds are well equipped and appropriate for age levels.

Strongly agree with statement:	36	<b>12.46%</b>	Disagree with statement:	69	<b>23.88%</b>
Agree with statement:	171	<b>59.17%</b>	Strongly disagree with statement:	13	<b>4.50%</b>

55. Playground equipment is accessible to students with disabilities.

Strongly agree with statement:	23	<b>7.96%</b>	Disagree with statement:	104	<b>35.99%</b>
Agree with statement:	138	<b>47.75%</b>	Strongly disagree with statement:	24	<b>8.30%</b>

56. Playground equipment is free of sharp edges, of sound construction, and in good condition.

Strongly agree with statement:	36	<b>12.46%</b>	Disagree with statement:	41	<b>14.19%</b>
Agree with statement:	199	<b>68.86%</b>	Strongly disagree with statement:	13	<b>4.50%</b>

**MIDDLE, JUNIOR HIGH, AND HIGH SCHOOLS ONLY**

Number of Secondary Schools Reported: 118

**Educational Appropriateness:**

57. Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.

Strongly agree with statement:	20	<b>16.13%</b>	Disagree with statement:	35	<b>28.23%</b>
Agree with statement:	69	<b>55.65%</b>	Strongly disagree with statement:	0	<b>0.00%</b>

58. Size and design of special learning areas (science labs, art, technology education, music and special education) is compatible with instructional need.

Strongly agree with statement:	24	<b>19.35%</b>	Disagree with statement:	33	<b>26.61%</b>
Agree with statement:	62	<b>50.00%</b>	Strongly disagree with statement:	5	<b>4.03%</b>

59. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	23	<b>18.55%</b>	Disagree with statement:	37	<b>29.84%</b>
Agree with statement:	61	<b>49.19%</b>	Strongly disagree with statement:	3	<b>2.42%</b>

**CESA: 01**

Number of schools reported for CESA 01: 389

Number of Secondary Schools reported for CESA 01: 118

60. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	30	<b>24.19%</b>	Disagree with statement:	39	<b>31.45%</b>
Agree with statement:	55	<b>44.35%</b>	Strongly disagree with statement:	0	<b>0.00%</b>

61. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	13	<b>10.48%</b>	Disagree with statement:	62	<b>50.00%</b>
Agree with statement:	40	<b>32.26%</b>	Strongly disagree with statement:	9	<b>7.26%</b>

**Building Suitability for Education:**

62. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	22	<b>17.74%</b>	Disagree with statement:	36	<b>29.03%</b>
Agree with statement:	61	<b>49.19%</b>	Strongly disagree with statement:	5	<b>4.03%</b>

63. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	29	<b>23.39%</b>	Disagree with statement:	12	<b>9.68%</b>
Agree with statement:	81	<b>65.32%</b>	Strongly disagree with statement:	2	<b>1.61%</b>

64. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	20	<b>16.13%</b>	Disagree with statement:	21	<b>16.94%</b>
Agree with statement:	81	<b>65.32%</b>	Strongly disagree with statement:	2	<b>1.61%</b>

65. Building is accessible to students with disabilities.

Strongly agree with statement:	27	<b>21.77%</b>	Disagree with statement:	17	<b>13.71%</b>
Agree with statement:	75	<b>60.48%</b>	Strongly disagree with statement:	5	<b>4.03%</b>

66. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	17	<b>13.71%</b>	Disagree with statement:	26	<b>20.97%</b>
Agree with statement:	76	<b>61.29%</b>	Strongly disagree with statement:	5	<b>4.03%</b>

**School Site Suitability:**

67. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	26	<b>20.97%</b>	Disagree with statement:	24	<b>19.35%</b>
Agree with statement:	71	<b>57.26%</b>	Strongly disagree with statement:	3	<b>2.42%</b>

68. Site has a safe outdoor space where students can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	30	<b>24.19%</b>	Disagree with statement:	10	<b>8.06%</b>
Agree with statement:	82	<b>66.13%</b>	Strongly disagree with statement:	2	<b>1.61%</b>

69. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	9	<b>7.26%</b>	Disagree with statement:	70	<b>56.45%</b>
Agree with statement:	27	<b>21.77%</b>	Strongly disagree with statement:	18	<b>14.52%</b>

**End of Survey**