



CESA: 06 *Number of schools reported for CESA 06: 174*

Which best describes the location of your school building?

0	0.00%	<i>Large Central City (Population greater than 400,000 and density greater than 6,000.)</i>
53	30.46%	<i>Mid-Size Central City (Population less than 400,000 and density less than 6,000.)</i>
21	12.07%	<i>Urban Fringe of Large City (Defined as urban by the Census Bureau.)</i>
30	17.24%	<i>Urban Fringe of Mid-Size City (Defined as urban by the Census Bureau.)</i>
16	9.20%	<i>Large Town (Population greater than or equal to 25,000.)</i>
23	13.22%	<i>Small Town (Population less than 25,000 and greater than or equal to 2,500.)</i>
31	17.82%	<i>Rural (Population less than 2,500 and coded rural by the Census Bureau.)</i>

A. PHYSICAL STRUCTURE AND MECHANICAL FEATURES

4. *When was the school originally constructed?*

<i>Pre-1900</i>	7	4.02%	<i>1930-1939</i>	13	7.47%	<i>1970-1979</i>	13	7.47%
<i>1900-1909</i>	2	1.15%	<i>1940-1949</i>	6	3.45%	<i>1980-1989</i>	4	2.30%
<i>1910-1919</i>	1	0.57%	<i>1950-1959</i>	42	24.14%	<i>1990-1999</i>	21	12.07%
<i>1920-1929</i>	13	7.47%	<i>1960-1969</i>	52	29.89%			

5. *In your opinion, is this school building overcrowded?*

Yes	32	18.39%	No	142	81.61%
-----	----	---------------	----	-----	---------------

6. *If the original building has been renovated or had additions, when was the most recent, MAJOR renovation or addition?*

<i>No Renovation</i>	44	25.29%	<i>1940-1949</i>	0	0.00%	<i>1970-1979</i>	10	5.75%
<i>Before 1930</i>	0	0.00%	<i>1950-1959</i>	5	2.87%	<i>1980-1989</i>	19	10.92%
<i>1930-1939</i>	0	0.00%	<i>1960-1969</i>	11	6.32%	<i>1990-1999</i>	85	48.85%

7. *How many total square feet does the original building have?*

<i>Minimum:</i>	750	<i>Maximum:</i>	377,680	<i>Median:</i>	43,469	<i>Average:</i>	59,325
-----------------	-----	-----------------	---------	----------------	--------	-----------------	--------

8. *If the building has been renovated or added on to, how many total square feet exist now?*

<i>Minimum:</i>	10,000	<i>Maximum:</i>	456,563	<i>Median:</i>	60,500	<i>Average:</i>	87,905
-----------------	--------	-----------------	---------	----------------	--------	-----------------	--------

9. *How many portable classrooms were in use during the 1998-99 school year?*

Number of schools reporting the use of portable classrooms: 8

<i>Minimum:</i>	1	<i>Maximum:</i>	23	<i>Median:</i>	2	<i>Average:</i>	5
-----------------	---	-----------------	----	----------------	---	-----------------	---

10. *Does the school accommodate any of its students in instructional facilities located OFF-SITE?*

Yes	15	8.62%	No	159	91.38%
-----	----	--------------	----	-----	---------------

11. *How many of this school's FTE students are located in OFF-SITE facilities?*

Number of schools reporting OFF-SITE facilities: 15

<i>Minimum:</i>	3	<i>Maximum:</i>	66	<i>Median:</i>	25	<i>Average:</i>	25
-----------------	---	-----------------	----	----------------	----	-----------------	----

CESA: 06 *Number of schools reported for CESA 06: 174*

Definitions for questions #12 and #15:

- Excellent:** New or easily restorable to "like new" only minimal routine maintenance.
- Good:** Only routine maintenance or minor repair required.
- Adequate:** Some preventive maintenance and/or corrective repair required.
- Fair:** Fails to meet code and functional requirement in some cases; extensive repair.
- Poor:** Consistent substandard performance; major corrective repair or overhaul.
- Replace:** Non-operational or significantly substandard performance. Replacement
- NA:** Not Applicable

12. *What is the overall condition of the original buildings and the permanent additions?*

	Excellent	Good	Adequate	Fair	Poor	Replace	NA
<i>Original Buildings:</i>	20 11.49%	67 38.51%	70 40.23%	8 4.60%	5 2.87%	4 2.30%	0 0.00%
<i>Permanent Additions:</i>	41 23.56%	50 28.74%	40 22.99%	3 1.72%	2 1.15%	0 0.00%	38 21.84%

13. *What would be the total cost of all repairs/renovations/modernizations required to put this school's ON-SITE buildings in good overall condition?*

Number of schools reporting cost for repairs/renovations/modernizations: 94
CESA Total Costs = \$72,411,982

Minimum: \$10,000 Maximum: \$8,000,000 Median: \$228,750 Average: \$770,340

14. *On which of the sources listed below is this estimate based? Choose all that apply.*

- 80 **28.27%** *Does not apply--already in good (or better) overall condition.*
- 28 **9.89%** *Facilities inspection/assessment performed within the last three years by licensed professionals.*
- 36 **12.72%** *Repair/renovation/modernization work already being performed/contracted for.*
- 79 **27.92%** *Capital improvement/facilities master plan or schedule.*
- 43 **15.19%** *My best professional judgement.*
- 17 **6.01%** *Opinions of others.*

15. *Overall, what is the physical condition of each of the building features listed below for this school's ON-SITE buildings?*

	Excellent	Good	Adequate	Fair	Poor	Replace
<i>Roofs:</i>	41 23.56%	82 47.13%	33 18.97%	10 5.75%	4 2.30%	4 2.30%
<i>Framing, floors, foundations:</i>	30 17.24%	100 57.47%	39 22.41%	2 1.15%	2 1.15%	1 0.57%
<i>Exterior walls, finishes, windows, doors:</i>	28 16.09%	75 43.10%	49 28.16%	17 9.77%	4 2.30%	1 0.57%
<i>Interior finishes, trims:</i>	23 13.22%	87 50.00%	49 28.16%	9 5.17%	5 2.87%	1 0.57%
<i>Plumbing:</i>	25 14.37%	72 41.38%	53 30.46%	17 9.77%	5 2.87%	2 1.15%
<i>Heating ventilation, air conditioning:</i>	19 10.92%	60 34.48%	64 36.78%	22 12.64%	8 4.60%	1 0.57%
<i>Electrical power:</i>	29 16.67%	72 41.38%	49 28.16%	13 7.47%	9 5.17%	2 1.15%
<i>Electrical lighting:</i>	27 15.52%	84 48.28%	48 27.59%	9 5.17%	5 2.87%	1 0.57%
<i>Life safety requirements (e.g., emergency lighting and warning systems, exit signs):</i>	31 17.82%	88 50.57%	42 24.14%	8 4.60%	4 2.30%	1 0.57%

CESA: 06 *Number of schools reported for CESA 06: 174*

16. *How adequate is your current maintenance budget for keeping your buildings in good overall condition?*

Very Adequate:	12	6.90%	Somewhat Adequate:	91	52.30%
Adequate:	57	32.76%	Not adequate at all:	14	8.05%

17. *How satisfactory or unsatisfactory is each of the following environmental factors in this school's ON-SITE buildings?*

	Very Satisfactory	Satisfactory	Unsatisfactory	Very Unsatisfactory
Lighting:	30 17.24%	130 74.71%	13 7.47%	1 0.57%
Heating:	23 13.22%	129 74.14%	22 12.64%	1 0.00%
Ventilation:	20 11.49%	128 73.56%	23 13.22%	3 1.72%
Indoor air quality:	23 13.22%	130 74.71%	20 11.49%	1 0.57%
Acoustics for noise control:	20 11.49%	131 75.29%	21 12.07%	2 1.15%
Flexibility of instructional space:	23 13.22%	99 56.90%	44 25.29%	8 4.60%
Energy efficiency/conservation:	26 14.94%	106 60.92%	29 16.67%	13 7.47%
Physical security of buildings:	18 10.34%	116 66.67%	33 18.97%	7 4.02%
Exterior noise:	38 21.84%	125 71.84%	10 5.75%	1 0.57%

18. *How many instructional classrooms were in use as of the third Friday in September, 1998?*

Total number of instructional classrooms reported in use as of the third Friday in September, 1998: **5,261**

Minimum:	10	Maximum:	142	Median:	23	Average:	30
----------	----	----------	-----	---------	----	----------	----

19. *Does the school building have CENTRAL air conditioning (cools all interior space)?*

Yes	43	24.71%	No	131	75.29%
-----	----	---------------	----	-----	---------------

20. *Does this school have air conditioning in instructional classrooms, computer labs, and/or the library?*

44	27.33%	Yes, in instructional classrooms.
67	41.61%	Yes, in computer labs.
50	31.06%	Yes, in the library.

21. *How many instructional classrooms have air conditioning?*

Minimum:	1	Maximum:	119	Median:	5	Average:	14
----------	---	----------	-----	---------	---	----------	----

22. *Does this school have a separate room for a library/resource/media center?*

Yes	169	97.13%	No	5	2.87%
-----	-----	---------------	----	---	--------------

23. *How does the size of your school's library/resource/media center compare with the size of a typical classroom in your building?*

Smaller:	2	1.18%	About the same size:	16	9.47%	Larger:	151	89.35%
----------	---	--------------	----------------------	----	--------------	---------	-----	---------------

24. *How many classrooms would fit in the space used for your library/resource/media center?*

Minimum:	.75	Maximum:	3	Median:	3	Average:	3
----------	-----	----------	---	---------	---	----------	---

25. *If you have a library/resource/media center, is it staffed by a licensed, professional librarian?*

Yes	154	91.12%	No	15	8.88%
-----	-----	---------------	----	----	--------------

26. *What percent time is your library/resource/media center staffed by a licensed, professional librarian?*

Number of schools reporting library/resource/media center staffed by licensed, professional librarian: **154**

Minimum:	10%	Maximum:	100%	Median:	100%	Average:	81.06%
----------	-----	----------	------	---------	------	----------	--------

CESA: 06 *Number of schools reported for CESA 06: 174*

27. Does this school have a separate room for a parent/family center?

Yes 34 **19.54%** No 140 **80.46%**

28. How does the size of your school's parent/family center compare with the size of a typical classroom in your building?

Smaller: 16 **47.06%** About the same size: 14 **41.18%** Larger: 4 **11.76%**

29. How many classrooms would fit in the space used for the parent/family center?

Minimum: .5 Maximum: 4 Median: 1 Average: 1

B. SCHOOL SAFETY

30. Does your school have a "Locked Door" policy (doors can only be opened from the inside)?

Yes 111 **63.79%** No 63 **36.21%**

31. Does your school have a "Check-In" policy for school visitors?

Yes 166 **95.40%** No 8 **4.60%**

32. Does your school have an established emergency response plan for dealing with school safety issues?

Yes 163 **93.68%** No 11 **6.32%**

33. Does your school have on-site security provided by police officers or private security guards?

Yes 23 **13.22%** No 151 **86.78%**

34. Does your school have parent or other community volunteers to assist in monitoring the school?

Yes 24 **13.79%** No 150 **86.21%**

35. Does your school have metal detectors?

Yes 3 **1.72%** No 171 **98.28%**

36. Does your school have surveillance cameras located within the school building or on school grounds?

Yes 10 **5.75%** No 164 **94.25%**

C. EDUCATIONAL APPROPRIATENESS AND SUITABILITY**ELEMENTARY SCHOOLS ONLY**

Number of Elementary Schools Reported: 116

Educational Appropriateness:

38. Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.

Strongly agree with statement:	21	17.50%	Disagree with statement:	20	16.67%
Agree with statement:	76	63.33%	Strongly disagree with statement:	3	2.50%

39. Pre-kindergarten and Kindergarten space accommodates developmental range and needs of young children by providing a minimum of 35 square feet per occupant.

Strongly agree with statement:	24	20.00%	Disagree with statement:	21	17.50%
Agree with statement:	72	60.00%	Strongly disagree with statement:	3	2.50%

CESA: 06*Number of schools reported for CESA 06: 174**Number of Elementary Schools reported for CESA 06: 116*40. *Adequate space is available for small work group instruction (less than 15 students).*

<i>Strongly agree with statement:</i>	19	15.83%	<i>Disagree with statement:</i>	32	26.67%
<i>Agree with statement:</i>	61	50.83%	<i>Strongly disagree with statement:</i>	8	6.67%

41. *Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.*

<i>Strongly agree with statement:</i>	33	27.50%	<i>Disagree with statement:</i>	6	5.00%
<i>Agree with statement:</i>	78	65.00%	<i>Strongly disagree with statement:</i>	3	2.50%

42. *Adequate space is available for large work group instruction (more than 30 students).*

<i>Strongly agree with statement:</i>	17	14.17%	<i>Disagree with statement:</i>	39	32.50%
<i>Agree with statement:</i>	53	44.17%	<i>Strongly disagree with statement:</i>	11	9.17%

43. *Equipment and furniture (such as shelving units, tables, and chairs) are the appropriate size for the building's student population.*

<i>Strongly agree with statement:</i>	28	23.33%	<i>Disagree with statement:</i>	6	5.00%
<i>Agree with statement:</i>	85	70.83%	<i>Strongly disagree with statement:</i>	1	0.83%

Building Suitability for Education:44. *Buildings materials, color schemes, and decor provide impetus to learning.*

<i>Strongly agree with statement:</i>	16	13.33%	<i>Disagree with statement:</i>	19	15.83%
<i>Agree with statement:</i>	81	67.50%	<i>Strongly disagree with statement:</i>	4	3.33%

45. *Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.*

<i>Strongly agree with statement:</i>	22	18.33%	<i>Disagree with statement:</i>	14	11.67%
<i>Agree with statement:</i>	81	67.50%	<i>Strongly disagree with statement:</i>	3	2.50%

46. *Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.*

<i>Strongly agree with statement:</i>	10	8.33%	<i>Disagree with statement:</i>	31	25.83%
<i>Agree with statement:</i>	69	57.50%	<i>Strongly disagree with statement:</i>	10	8.33%

47. *Building is accessible to students with disabilities.*

<i>Strongly agree with statement:</i>	34	28.33%	<i>Disagree with statement:</i>	9	7.50%
<i>Agree with statement:</i>	63	52.50%	<i>Strongly disagree with statement:</i>	14	11.67%

48. *Space is available and appropriate for extended day learning opportunities, including before and after school day care.*

<i>Strongly agree with statement:</i>	10	8.77%	<i>Disagree with statement:</i>	21	18.42%
<i>Agree with statement:</i>	82	71.93%	<i>Strongly disagree with statement:</i>	1	0.88%

School Site Suitability:49. *Site is large enough to meet educational needs and is accessible.*

<i>Strongly agree with statement:</i>	30	25.42%	<i>Disagree with statement:</i>	19	16.10%
<i>Agree with statement:</i>	67	56.78%	<i>Strongly disagree with statement:</i>	2	1.69%

CESA: 06

Number of schools reported for CESA 06: 174

Number of Elementary Schools reported for CESA 06: 116

50. Site has a safe outdoor space where children can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	42	35.00%	Disagree with statement:	11	9.17%
Agree with statement:	64	53.33%	Strongly disagree with statement:	3	2.50%

51. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	15	12.50%	Disagree with statement:	38	31.67%
Agree with statement:	51	42.50%	Strongly disagree with statement:	16	13.33%

Playground Site and Equipment Suitability:

52. Playground size is appropriate for number of students.

Strongly agree with statement:	29	24.17%	Disagree with statement:	16	13.33%
Agree with statement:	70	58.33%	Strongly disagree with statement:	5	4.17%

53. Playgrounds are separated from streets and parking areas with fencing or other permanent material.

Strongly agree with statement:	17	14.17%	Disagree with statement:	24	20.00%
Agree with statement:	72	60.00%	Strongly disagree with statement:	7	5.83%

54. Playgrounds are well equipped and appropriate for age levels.

Strongly agree with statement:	22	18.33%	Disagree with statement:	26	21.67%
Agree with statement:	68	56.67%	Strongly disagree with statement:	4	3.33%

55. Playground equipment is accessible to students with disabilities.

Strongly agree with statement:	14	11.67%	Disagree with statement:	40	33.33%
Agree with statement:	54	45.00%	Strongly disagree with statement:	12	10.00%

56. Playground equipment is free of sharp edges, of sound construction, and in good condition.

Strongly agree with statement:	27	22.50%	Disagree with statement:	12	10.00%
Agree with statement:	78	65.00%	Strongly disagree with statement:	3	2.50%

**MIDDLE, JUNIOR HIGH, AND HIGH SCHOOLS ONLY
Educational Appropriateness:**

Number of Secondary Schools Reported: 58

57. Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.

Strongly agree with statement:	16	24.62%	Disagree with statement:	7	10.77%
Agree with statement:	40	61.54%	Strongly disagree with statement:	2	3.08%

58. Size and design of special learning areas (science labs, art, technology education, music and special education) is compatible with instructional need.

Strongly agree with statement:	12	18.46%	Disagree with statement:	9	13.85%
Agree with statement:	40	61.54%	Strongly disagree with statement:	4	6.15%

59. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	12	18.46%	Disagree with statement:	15	23.08%
Agree with statement:	37	56.92%	Strongly disagree with statement:	1	1.54%

CESA: 06

Number of schools reported for CESA 06: 174

Number of Secondary Schools reported for CESA 06: 58

60. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	19	29.23%	Disagree with statement:	2	3.08%
Agree with statement:	42	64.62%	Strongly disagree with statement:	2	3.08%

61. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	11	16.92%	Disagree with statement:	29	44.62%
Agree with statement:	22	33.85%	Strongly disagree with statement:	3	4.62%

Building Suitability for Education:

62. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	18	27.69%	Disagree with statement:	8	12.31%
Agree with statement:	36	55.38%	Strongly disagree with statement:	3	4.62%

63. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	21	32.31%	Disagree with statement:	5	7.69%
Agree with statement:	38	58.46%	Strongly disagree with statement:	1	1.54%

64. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	17	26.15%	Disagree with statement:	15	23.08%
Agree with statement:	32	49.23%	Strongly disagree with statement:	1	1.54%

65. Building is accessible to students with disabilities.

Strongly agree with statement:	24	36.92%	Disagree with statement:	5	7.69%
Agree with statement:	35	53.85%	Strongly disagree with statement:	1	1.54%

66. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	13	20.00%	Disagree with statement:	14	21.54%
Agree with statement:	37	56.92%	Strongly disagree with statement:	1	1.54%

School Site Suitability:

67. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	22	33.85%	Disagree with statement:	7	10.77%
Agree with statement:	34	52.31%	Strongly disagree with statement:	2	3.08%

68. Site has a safe outdoor space where students can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	26	40.00%	Disagree with statement:	4	6.15%
Agree with statement:	35	53.85%	Strongly disagree with statement:	0	0.00%

69. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	10	15.38%	Disagree with statement:	20	30.77%
Agree with statement:	28	43.08%	Strongly disagree with statement:	7	10.77%

End of Survey