



CESA: 07 *Number of schools reported for CESA 07: 133*

Which best describes the location of your school building?

0	0.00%	<i>Large Central City (Population greater than 400,000 and density greater than 6,000.)</i>
64	48.12%	<i>Mid-Size Central City (Population less than 400,000 and density less than 6,000.)</i>
0	0.00%	<i>Urban Fringe of Large City (Defined as urban by the Census Bureau.)</i>
18	13.53%	<i>Urban Fringe of Mid-Size City (Defined as urban by the Census Bureau.)</i>
10	7.52%	<i>Large Town (Population greater than or equal to 25,000.)</i>
18	13.53%	<i>Small Town (Population less than 25,000 and greater than or equal to 2,500.)</i>
23	17.29%	<i>Rural (Population less than 2,500 and coded rural by the Census Bureau.)</i>

A. PHYSICAL STRUCTURE AND MECHANICAL FEATURES

4. *When was the school originally constructed?*

<i>Pre-1900</i>	1	0.75%	<i>1930-1939</i>	14	10.53%	<i>1970-1979</i>	19	14.29%
<i>1900-1909</i>	0	0.00%	<i>1940-1949</i>	0	0.00%	<i>1980-1989</i>	3	2.26%
<i>1910-1919</i>	7	5.26%	<i>1950-1959</i>	27	20.30%	<i>1990-1999</i>	15	11.28%
<i>1920-1929</i>	11	8.27%	<i>1960-1969</i>	36	27.07%			

5. *In your opinion, is this school building overcrowded?*

Yes	28	21.05%	No	105	78.95%
-----	----	---------------	----	-----	---------------

6. *If the original building has been renovated or had additions, when was the most recent, MAJOR renovation or addition?*

<i>No Renovation</i>	36	27.07%	<i>1940-1949</i>	0	0.00%	<i>1970-1979</i>	5	3.76%
<i>Before 1930</i>	2	1.50%	<i>1950-1959</i>	4	3.01%	<i>1980-1989</i>	12	9.02%
<i>1930-1939</i>	0	0.00%	<i>1960-1969</i>	4	3.01%	<i>1990-1999</i>	70	52.63%

7. *How many total square feet does the original building have?*

<i>Minimum:</i>	2,264	<i>Maximum:</i>	283,406	<i>Median:</i>	55,000	<i>Average:</i>	71,905
-----------------	-------	-----------------	---------	----------------	--------	-----------------	--------

8. *If the building has been renovated or added on to, how many total square feet exist now?*

<i>Minimum:</i>	11,761	<i>Maximum:</i>	424,195	<i>Median:</i>	65,000	<i>Average:</i>	95,908
-----------------	--------	-----------------	---------	----------------	--------	-----------------	--------

9. *How many portable classrooms were in use during the 1998-99 school year?*

Number of schools reporting the use of portable classrooms: 5

<i>Minimum:</i>	2	<i>Maximum:</i>	3	<i>Median:</i>	2	<i>Average:</i>	2
-----------------	---	-----------------	---	----------------	---	-----------------	---

10. *Does the school accommodate any of its students in instructional facilities located OFF-SITE?*

Yes	6	4.51%	No	127	95.49%
-----	---	--------------	----	-----	---------------

11. *How many of this school's FTE students are located in OFF-SITE facilities?*

Number of schools reporting OFF-SITE facilities: 6

<i>Minimum:</i>	8	<i>Maximum:</i>	60	<i>Median:</i>	12	<i>Average:</i>	21
-----------------	---	-----------------	----	----------------	----	-----------------	----

CESA: 07 *Number of schools reported for CESA 07: 133*

Definitions for questions #12 and #15:

- Excellent:** New or easily restorable to "like new" only minimal routine maintenance.
- Good:** Only routine maintenance or minor repair required.
- Adequate:** Some preventive maintenance and/or corrective repair required.
- Fair:** Fails to meet code and functional requirement in some cases; extensive repair.
- Poor:** Consistent substandard performance; major corrective repair or overhaul.
- Replace:** Non-operational or significantly substandard performance. Replacement
- NA:** Not Applicable

12. *What is the overall condition of the original buildings and the permanent additions?*

	Excellent	Good	Adequate	Fair	Poor	Replace	NA
<i>Original Buildings:</i>	30 22.56%	68 51.13%	25 18.80%	6 4.51%	1 0.75%	3 2.26%	0 0.00%
<i>Permanent Additions:</i>	45 33.83%	36 27.07%	12 9.02%	2 1.50%	2 1.50%	0 0.00%	36 27.07%

13. *What would be the total cost of all repairs/renovations/modernizations required to put this school's ON-SITE buildings in good overall condition?* *Number of schools reporting cost for repairs/renovations/modernizations: 37*

CESA Total Costs = \$118,764,400

Minimum: \$20,000 *Maximum:* \$18,500,000 *Median:* \$500,000 *Average:* \$3,209,849

14. *On which of the sources listed below is this estimate based? Choose all that apply.*

- 100 **53.48%** *Does not apply--already in good (or better) overall condition.*
- 17 **9.09%** *Facilities inspection/assessment performed within the last three years by licensed professionals.*
- 15 **8.02%** *Repair/renovation/modernization work already being performed/contracted for.*
- 17 **9.09%** *Capital improvement/facilities master plan or schedule.*
- 23 **12.30%** *My best professional judgement.*
- 15 **8.02%** *Opinions of others.*

15. *Overall, what is the physical condition of each of the building features listed below for this school's ON-SITE buildings?*

	Excellent	Good	Adequate	Fair	Poor	Replace
<i>Roofs:</i>	34 25.56%	63 47.37%	30 22.56%	3 2.26%	3 2.26%	0 0.00%
<i>Framing, floors, foundations:</i>	42 31.58%	71 53.38%	17 12.78%	3 2.26%	0 0.00%	0 0.00%
<i>Exterior walls, finishes, windows, doors:</i>	41 30.83%	65 48.87%	21 15.79%	5 3.76%	1 0.75%	0 0.00%
<i>Interior finishes, trims:</i>	35 26.32%	71 53.38%	21 15.79%	5 3.76%	1 0.75%	0 0.00%
<i>Plumbing:</i>	29 21.80%	74 55.64%	21 15.79%	3 2.26%	5 3.76%	1 0.75%
<i>Heating ventilation, air conditioning:</i>	32 24.06%	65 48.87%	25 18.80%	6 4.51%	4 3.01%	1 0.75%
<i>Electrical power:</i>	38 28.57%	62 46.62%	22 16.54%	4 3.01%	7 5.26%	0 0.00%
<i>Electrical lighting:</i>	39 29.32%	72 54.14%	20 15.04%	1 0.75%	1 0.75%	0 0.00%
<i>Life safety requirements (e.g., emergency lighting and warning systems, exit signs):</i>	40 30.08%	78 58.65%	11 8.27%	4 3.01%	0 0.00%	0 0.00%

CESA: 07 *Number of schools reported for CESA 07: 133*

16. *How adequate is your current maintenance budget for keeping your buildings in good overall condition?*

Very Adequate:	7	5.26%	Somewhat Adequate:	15	11.28%
Adequate:	104	78.20%	Not adequate at all:	7	5.26%

17. *How satisfactory or unsatisfactory is each of the following environmental factors in this school's ON-SITE buildings?*

	Very Satisfactory	Satisfactory	Unsatisfactory	Very Unsatisfactory
Lighting:	48 36.09%	83 62.41%	2 1.50%	0 0.00%
Heating:	42 31.58%	87 65.41%	3 2.26%	0 0.75%
Ventilation:	38 28.57%	81 60.90%	13 9.77%	1 0.75%
Indoor air quality:	37 27.82%	89 66.92%	7 5.26%	0 0.00%
Acoustics for noise control:	33 24.81%	89 66.92%	10 7.52%	1 0.75%
Flexibility of instructional space:	27 20.30%	83 62.41%	21 15.79%	2 1.50%
Energy efficiency/conservation:	27 20.30%	89 66.92%	15 11.28%	2 1.50%
Physical security of buildings:	37 27.82%	78 58.65%	13 9.77%	5 3.76%
Exterior noise:	47 35.34%	82 61.65%	3 2.26%	1 0.75%

18. *How many instructional classrooms were in use as of the third Friday in September, 1998?*

Total number of instructional classrooms reported in use as of the third Friday in September, 1998: **4,543**

Minimum:	1	Maximum:	116	Median:	28	Average:	34
----------	---	----------	-----	---------	----	----------	----

19. *Does the school building have CENTRAL air conditioning (cools all interior space)?*

Yes	44	33.08%	No	89	66.92%
-----	----	---------------	----	----	---------------

20. *Does this school have air conditioning in instructional classrooms, computer labs, and/or the library?*

31	31.63%	Yes, in instructional classrooms.
36	36.73%	Yes, in computer labs.
31	31.63%	Yes, in the library.

21. *How many instructional classrooms have air conditioning?*

Minimum:	1	Maximum:	21	Median:	5	Average:	6
----------	---	----------	----	---------	---	----------	---

22. *Does this school have a separate room for a library/resource/media center?*

Yes	129	96.99%	No	4	3.01%
-----	-----	---------------	----	---	--------------

23. *How does the size of your school's library/resource/media center compare with the size of a typical classroom in your building?*

Smaller:	2	1.54%	About the same size:	7	5.38%	Larger:	121	93.08%
----------	---	--------------	----------------------	---	--------------	---------	-----	---------------

24. *How many classrooms would fit in the space used for your library/resource/media center?*

Minimum:	.75	Maximum:	3	Median:	3	Average:	3
----------	-----	----------	---	---------	---	----------	---

25. *If you have a library/resource/media center, is it staffed by a licensed, professional librarian?*

Yes	116	89.23%	No	14	10.77%
-----	-----	---------------	----	----	---------------

26. *What percent time is your library/resource/media center staffed by a licensed, professional librarian?*

Number of schools reporting library/resource/media center staffed by licensed, professional librarian: **116**

Minimum:	10%	Maximum:	100%	Median:	100%	Average:	75.8%
----------	-----	----------	------	---------	------	----------	-------

CESA: 07 *Number of schools reported for CESA 07: 133*

27. *Does this school have a separate room for a parent/family center?*

Yes 30 **22.56%** No 103 **77.44%**

28. *How does the size of your school's parent/family center compare with the size of a typical classroom in your building?*

Smaller: 10 **33.33%** About the same size: 17 **56.67%** Larger: 3 **10.00%**

29. *How many classrooms would fit in the space used for the parent/family center?*

Minimum: .33 Maximum: 2 Median: 1 Average: 1

B. SCHOOL SAFETY

30. *Does your school have a "Locked Door" policy (doors can only be opened from the inside)?*

Yes 110 **82.71%** No 23 **17.29%**

31. *Does your school have a "Check-In" policy for school visitors?*

Yes 128 **96.24%** No 5 **3.76%**

32. *Does your school have an established emergency response plan for dealing with school safety issues?*

Yes 133 **100.00%** No 0 **0.00%**

33. *Does your school have on-site security provided by police officers or private security guards?*

Yes 17 **12.78%** No 116 **87.22%**

34. *Does your school have parent or other community volunteers to assist in monitoring the school?*

Yes 43 **32.33%** No 90 **67.67%**

35. *Does your school have metal detectors?*

Yes 0 **0.00%** No 133 **100.00%**

36. *Does your school have surveillance cameras located within the school building or on school grounds?*

Yes 7 **5.26%** No 126 **94.74%**

C. EDUCATIONAL APPROPRIATENESS AND SUITABILITY

ELEMENTARY SCHOOLS ONLY

Number of Elementary Schools Reported: 81

Educational Appropriateness:

38. *Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.*

<i>Strongly agree with statement:</i>	33	37.50%	<i>Disagree with statement:</i>	9	10.23%
<i>Agree with statement:</i>	45	51.14%	<i>Strongly disagree with statement:</i>	1	1.14%

39. *Pre-kindergarten and Kindergarten space accommodates developmental range and needs of young children by providing a minimum of 35 square feet per occupant.*

<i>Strongly agree with statement:</i>	30	34.09%	<i>Disagree with statement:</i>	6	6.82%
<i>Agree with statement:</i>	44	50.00%	<i>Strongly disagree with statement:</i>	8	9.09%

CESA: 07

Number of schools reported for CESA 07: 133

Number of Elementary Schools reported for CESA 07: 81

40. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	25	28.41%	Disagree with statement:	17	19.32%
Agree with statement:	44	50.00%	Strongly disagree with statement:	2	2.27%

41. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	38	43.18%	Disagree with statement:	4	4.55%
Agree with statement:	44	50.00%	Strongly disagree with statement:	2	2.27%

42. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	25	28.41%	Disagree with statement:	21	23.86%
Agree with statement:	36	40.91%	Strongly disagree with statement:	6	6.82%

43. Equipment and furniture (such as shelving units, tables, and chairs) are the appropriate size for the building's student population.

Strongly agree with statement:	39	44.32%	Disagree with statement:	2	2.27%
Agree with statement:	46	52.27%	Strongly disagree with statement:	1	1.14%

Building Suitability for Education:

44. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	30	34.09%	Disagree with statement:	2	2.27%
Agree with statement:	54	61.36%	Strongly disagree with statement:	2	2.27%

45. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	36	40.91%	Disagree with statement:	7	7.95%
Agree with statement:	43	48.86%	Strongly disagree with statement:	2	2.27%

46. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	30	34.09%	Disagree with statement:	11	12.50%
Agree with statement:	41	46.59%	Strongly disagree with statement:	6	6.82%

47. Building is accessible to students with disabilities.

Strongly agree with statement:	39	44.32%	Disagree with statement:	6	6.82%
Agree with statement:	42	47.73%	Strongly disagree with statement:	1	1.14%

48. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	23	26.14%	Disagree with statement:	20	22.73%
Agree with statement:	42	47.73%	Strongly disagree with statement:	3	3.41%

School Site Suitability:

49. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	35	38.89%	Disagree with statement:	9	10.00%
Agree with statement:	43	47.78%	Strongly disagree with statement:	3	3.33%

CESA: 07

Number of schools reported for CESA 07: 133

Number of Elementary Schools reported for CESA 07: 81

50. Site has a safe outdoor space where children can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	36	40.91%	Disagree with statement:	8	9.09%
Agree with statement:	44	50.00%	Strongly disagree with statement:	0	0.00%

51. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	19	21.59%	Disagree with statement:	22	25.00%
Agree with statement:	41	46.59%	Strongly disagree with statement:	6	6.82%

Playground Site and Equipment Suitability:

52. Playground size is appropriate for number of students.

Strongly agree with statement:	35	39.77%	Disagree with statement:	10	11.36%
Agree with statement:	41	46.59%	Strongly disagree with statement:	2	2.27%

53. Playgrounds are separated from streets and parking areas with fencing or other permanent material.

Strongly agree with statement:	28	31.82%	Disagree with statement:	15	17.05%
Agree with statement:	40	45.45%	Strongly disagree with statement:	5	5.68%

54. Playgrounds are well equipped and appropriate for age levels.

Strongly agree with statement:	28	31.82%	Disagree with statement:	9	10.23%
Agree with statement:	47	53.41%	Strongly disagree with statement:	4	4.55%

55. Playground equipment is accessible to students with disabilities.

Strongly agree with statement:	26	29.55%	Disagree with statement:	14	15.91%
Agree with statement:	42	47.73%	Strongly disagree with statement:	6	6.82%

56. Playground equipment is free of sharp edges, of sound construction, and in good condition.

Strongly agree with statement:	33	37.50%	Disagree with statement:	5	5.68%
Agree with statement:	48	54.55%	Strongly disagree with statement:	2	2.27%

MIDDLE, JUNIOR HIGH, AND HIGH SCHOOLS ONLY

Number of Secondary Schools Reported: 52

Educational Appropriateness:

57. Size of instructional classrooms are large enough to allow for alternative room arrangements to facilitate curricular objectives.

Strongly agree with statement:	14	24.56%	Disagree with statement:	11	19.30%
Agree with statement:	32	56.14%	Strongly disagree with statement:	0	0.00%

58. Size and design of special learning areas (science labs, art, technology education, music and special education) is compatible with instructional need.

Strongly agree with statement:	16	28.57%	Disagree with statement:	15	26.79%
Agree with statement:	21	37.50%	Strongly disagree with statement:	4	7.14%

59. Adequate space is available for small work group instruction (less than 15 students).

Strongly agree with statement:	14	25.00%	Disagree with statement:	8	14.29%
Agree with statement:	33	58.93%	Strongly disagree with statement:	1	1.79%

CESA: 07

Number of schools reported for CESA 07: 133

Number of Secondary Schools reported for CESA 07: 52

60. Adequate space is available to allow instructional classrooms to maintain a class size of less than 30 students.

Strongly agree with statement:	20	35.71%	Disagree with statement:	9	16.07%
Agree with statement:	26	46.43%	Strongly disagree with statement:	1	1.79%

61. Adequate space is available for large work group instruction (more than 30 students).

Strongly agree with statement:	11	19.64%	Disagree with statement:	17	30.36%
Agree with statement:	25	44.64%	Strongly disagree with statement:	3	5.36%

Building Suitability for Education:

62. Buildings materials, color schemes, and decor provide impetus to learning.

Strongly agree with statement:	18	32.14%	Disagree with statement:	6	10.71%
Agree with statement:	30	53.57%	Strongly disagree with statement:	2	3.57%

63. Drinking fountain and restroom facilities are an appropriate height and size for the school building population and conveniently located.

Strongly agree with statement:	14	25.00%	Disagree with statement:	2	3.57%
Agree with statement:	40	71.43%	Strongly disagree with statement:	0	0.00%

64. Student services areas (e.g., counselor and medical) ensure privacy and are of sufficient size.

Strongly agree with statement:	11	19.64%	Disagree with statement:	8	14.29%
Agree with statement:	32	57.14%	Strongly disagree with statement:	5	8.93%

65. Building is accessible to students with disabilities.

Strongly agree with statement:	27	48.21%	Disagree with statement:	1	1.79%
Agree with statement:	27	48.21%	Strongly disagree with statement:	1	1.79%

66. Space is available and appropriate for extended day learning opportunities, including before and after school day care.

Strongly agree with statement:	8	14.29%	Disagree with statement:	12	21.43%
Agree with statement:	33	58.93%	Strongly disagree with statement:	3	5.36%

School Site Suitability:

67. Site is large enough to meet educational needs and is accessible.

Strongly agree with statement:	13	23.21%	Disagree with statement:	8	14.29%
Agree with statement:	32	57.14%	Strongly disagree with statement:	3	5.36%

68. Site has a safe outdoor space where students can engage in a variety of games, sports, and motor activities.

Strongly agree with statement:	16	28.57%	Disagree with statement:	0	0.00%
Agree with statement:	38	67.86%	Strongly disagree with statement:	2	3.57%

69. Student loading areas are segregated from other vehicular traffic and pedestrian walkways.

Strongly agree with statement:	3	5.36%	Disagree with statement:	19	33.93%
Agree with statement:	29	51.79%	Strongly disagree with statement:	5	8.93%

End of Survey